

classico - stone collection



calcatta



obsidian black

classico - stone collection

sizes and specifications

Sizes (mm):	Finishes:	Colours:	Special Pieces:	Sizes (mm):	Finishes:	Colours:
600 x 600 x 10	Polished	All	Skirting Tile	100 x 600 x 10	Polished	All
800 x 800 x 12	Polished	All				

2 colours

2 sizes

1 finish



Squared and
rectified edges










Moderate
variation





Nominal
thickness value

10-12mm

technical specifications

	technical data	standard	requirement	collection value
	sides	EN ISO 10545-2	± 0.6% max	±0.1%
	thickness	EN ISO 10545-2	± 5.0% max	±4.0%
	straightness of sides	EN ISO 10545-2	± 0.5% max	± 0.4%
	rectangularity	EN ISO 10545-2	± 0.6% max	± 0.4%
	surface flatness	EN ISO 10545-2	± 0.5% max	± 0.1%
	water absorption	EN ISO 10545-3	< 0.5% max	≤0.1%
	bending resistance	EN ISO 10545-5	≥ 35 N/mm ²	≥38 N/mm ²

	technical data	standard	requirement	collection value
	abrasion resistance	EN ISO 10545-6	≤ 175mm ³	≤140mm ³
	coefficient of linear thermal expansion	EN ISO 10545-8	< 9 MK ⁻¹	conforms
	thermal shock resistance	EN ISO 10545-9	no visible defects	conforms
	frost resistance	EN ISO 10545-12	no visible defects or cracks	Resists
	chemical resistance	EN ISO 10545-13	no visible changes to surface	Resists
	stains resistance	EN ISO 10545-14	no permanent staining	conforms