


new age - architectural collection

porcelain tiles[®]
committed to inspire



vanilla



chalk

new age - architectural collection

sizes and specifications

Sizes (mm):

600 x 600

300 x 600

75 x 150

Finishes:

Natural / Honed

Natural / Honed

Natural

Colours:

All

All

All

2 colours

3 sizes

2 finishes



Squared and
rectified edges



Uniform
appearance

V1



Nominal
thickness value


10.5mm










Slip resistance
value (RSV)

R9
Natural

technical specifications

	technical data	standard	requirement	collection value
	sides	EN ISO 10545-2	± 0.6% max	conforms
	thickness	EN ISO 10545-2	± 5.0% max	conforms
	straightness of sides	EN ISO 10545-2	± 0.5% max	conforms
	rectangularity	EN ISO 10545-2	± 0.6% max	conforms
	surface flatness	EN ISO 10545-2	± 0.5% max	conforms
	water absorption	EN ISO 10545-3	< 0.5% max	0.05%
	bending resistance	EN ISO 10545-5	≥ 35 N/mm ²	conforms

	technical data	standard	requirement	collection value
	abrasion resistance	EN ISO 10545-6	≤ 175mm ³	conforms
	coefficient of linear thermal expansion	EN ISO 10545-8	< 9 MK ⁻¹	conforms
	thermal shock resistance	EN ISO 10545-9	no visible defects	conforms
	frost resistance	EN ISO 10545-12	no visible defects or cracks	frost proof
	chemical resistance	EN ISO 10545-13	no visible changes to surface	conforms
	stains resistance	EN ISO 10545-14	no permanent staining	conforms
	slip resistance	DIN 51130 RAMP TEST	R9-R13	R9 Natural Surfaces