



onice



navona



rosa portogallo

sizes and specifications

Sizes (mm):	Finishes:	Colours:	Special Pieces:	Sizes (mm):	Finishes:	Colours:
600 x 600 x 10	Polished	All	Skirting Tile	100 x 600 x 10	Polished	All
600 x 1200 x 13	Polished	All				





3 colours


2 sizes

1 finish



technical specifications

	technical data	standard	requirement	collection value
	sides	EN ISO 10545-2	± 0.6% max	±0.1%
	thickness	EN ISO 10545-2	± 5.0% max	±4.0%
	straightness of sides	EN ISO 10545-2	± 0.5% max	± 0.4%
	rectangularity	EN ISO 10545-2	± 0.6% max	± 0.4%
	surface flatness	EN ISO 10545-2	± 0.5% max	± 0.1%
	water absorption	EN ISO 10545-3	< 0.5% max	≤0.1%
	bending resistance	EN ISO 10545-5	≥ 35 N/mm <sup>2</sup>	≥38 N/mm <sup>2</sup>

	technical data	standard	requirement	collection value
	abrasion resistance	EN ISO 10545-6	≤ 175mm <sup>3</sup>	≤140mm <sup>3</sup>
	coefficient of linear thermal expansion	EN ISO 10545-8	< 9 MK <sup>-1</sup>	conforms
	thermal shock resistance	EN ISO 10545-9	no visible defects	conforms
	frost resistance	EN ISO 10545-12	no visible defects or cracks	Resists
	chemical resistance	EN ISO 10545-13	no visible changes to surface	Resists
	stains resistance	EN ISO 10545-14	no permanent staining	conforms